

ROVER Daily Average Gas Quality Info for Gas Day 10-11-2021

Name	BTU	CHDP	Wobbe Index	CO2	N2	Gravity	Methane	Ethane	Propane	Ibutane	Nbutane	Ipentane	Npentane	C6+
ANR WESTRICK	1068.9054	-51.9066	1384.1542	0.1901	0.3619	0.5964	91.9960	7.1327	0.2627	0.0247	0.0207	0.0050	0.0024	0.0039
BERNE	1089.6024	-70.2271	1394.7811	0.1468	0.5018	0.6103	88.8762	10.2925	0.1776	0.0034	0.0017	0.0000	0.0000	0.0000
CADIZ-MW	1062.7325	-84.8040	1380.8334	0.1798	0.3693	0.5924	92.5918	6.7003	0.1438	0.0081	0.0061	0.0008	0.0000	0.0000
CADIZ-ORS	1039.7601	-72.3475	1368.6931	0.2244	0.2394	0.5771	96.0018	3.2005	0.2765	0.0273	0.0241	0.0032	0.0016	0.0012
CLARINGTO N-EUREKA	1045.9164	-78.4939	1371.4604	0.2038	0.3279	0.5816	94.8809	4.3857	0.1733	0.0111	0.0137	0.0016	0.0011	0.0008
CLARINGTO N-OVC	1065.0574	-56.7942	1381.9803	0.2116	0.3323	0.5939	92.4103	6.8075	0.2042	0.0112	0.0149	0.0030	0.0020	0.0031
CPG-SHERWOOD	1124.4907	-52.2735	1414.3498	0.1724	0.4308	0.6321	84.8253	14.0044	0.5548	0.0066	0.0057	0.0000	0.0000	0.0000
FIN	1067.9154	-56.3788	1383.6291	0.1900	0.3600	0.5957	92.1119	7.0304	0.2548	0.0238	0.0193	0.0046	0.0022	0.0030
HARMON CREEK	1079.0871	-76.7197	1389.7589	0.1255	0.4684	0.6029	90.2404	9.1117	0.0541	0.0000	0.0000	0.0000	0.0000	0.0000
MADISON	1120.8384	38.9901	1414.2854	0.1507	0.2696	0.6281	89.0852	7.9376	1.6056	0.3715	0.2910	0.1152	0.0503	0.1233
MAJORSVILLE	1072.1010	-72.3557	1385.1246	0.1413	0.5046	0.5991	91.1167	8.1026	0.1304	0.0010	0.0013	0.0007	0.0003	0.0012
PANHANDLE FALCON	1068.9228	-47.9240	1384.1875	0.1894	0.3610	0.5964	91.9992	7.1323	0.2609	0.0243	0.0206	0.0050	0.0024	0.0048
REVOLUTION	1019.5601	-113.6256	1358.3800	0.0363	0.4427	0.5634	98.2137	1.2989	0.0084	0.0000	0.0000	0.0000	0.0000	0.0000
REX-SENECA	1089.8832	-70.1169	1395.0822	0.1419	0.4972	0.6104	88.8676	10.3049	0.1834	0.0037	0.0015	0.0000	0.0000	0.0000
SENECA	1106.2977	-63.0353	1405.6836	0.1666	0.3320	0.6194	87.0182	12.3350	0.1440	0.0033	0.0010	0.0000	0.0000	0.0000
SHERWOOD	1115.1324	-57.9429	1408.7077	0.1888	0.4488	0.6267	85.6324	13.4993	0.2251	0.0034	0.0019	0.0000	0.0000	0.0000
SUNDANCE	1054.7419	-41.4554	1377.2529	0.1981	0.2639	0.5865	94.4789	4.4088	0.5019	0.0711	0.0543	0.0116	0.0051	0.0063